

WHAT IS CLAIMED IS:

1. A multi-utility energy control and facility management system for monitoring consumption, and cost of resource generation, for a plurality of different utility types with a single master meter and for monitoring and controlling individual utility systems within a facility, for determining possible utility cost adjustments to enhance cost effectiveness, which comprises:

(a) at least one central control computer being connected to a multi-utility master meter device, said at least one central control computer having sufficient software adapted to receive utility consumption rate data from said master meter and for storing, presenting, analyzing and reporting from said data sufficient

7

from said icons, and at least two interface gateways, each being adapted for communications with at least one network for selection of utility-facilities operations related data, and said software further including a plurality of subscreens for presenting (i) said selectable utility information from said utility type icons and (ii) selectable utility-facility operations related data from said at least two interface gateways;

(b) a multi-utility real time master meter for monitoring consumption of a plurality of different utility types with a single master meter, which includes a central processing unit, visual display means connected to the central processing unit, programming controls, a power

(c) a plurality of utility meter sensors connected to said master meter, at least a portion of said utility meter sensors being retrofit sensors attachable to existing utility meters for sensing real time rates from said existing utility meters, and transmitting said real time rates to said central processing unit, said plurality of utility meter sensors including utility meter sensors having means to sense real time rates from electromechanical utility meters which are attachable to conventional utility meters.

2. The system of claim 1 wherein said dashboard

rev 1.12c

4.5. The system of claim 1 wherein said multi-utility real time master meter central processing unit includes means for receiving real time utility meter consumption rates data from said sensors, means for storing said data, means for presenting said data on display via said visual display means in accordance with a preprogrammed sequence and in preprogrammed time frames, means

for converting said data to averages over longer periods of time based on preprogrammed parameters, and means for presenting both real time consumption rate data and converted data to a computer in a predetermined computer language format.

6. The system of claim 1 wherein at least one of said sensors is wired directly to said master meter central processing unit within said housing.

7. The system of claim 1 wherein at least one of said sensors is wired to a signal transmission device for transmitting signals through an alternating current line to said master meter central processing unit and said master meter

7 8. The system of claim 1 wherein at least a portion of said meter sensors are current transformers which transmit from about 0 to about 5 milliamps to measure electricity characteristics.

9. The system of claim 1 wherein said at least one central control computer contains software adapted to receive and update alternative utility company competitive pricing information.

9 10. The system of claim ⁸ 9 wherein said central

control computer software is adapted to provide short term utility contracts for purchase of alternative utility company competitively priced utilities.

10 11. The system of claim 1 wherein said master meter includes a main housing which is physically separate from said at least one central control computer.

11 12. The system of claim 1 wherein said plurality of utility subscreens includes at least a portion of said subscreens having specific real time utility data and at least a portion of said subscreens having the same utility type icons as said dashboard screen to provide interconnection capability from utility to utility.

12 13. The system of claim 1 wherein a plurality of operational efficiency sensors, strategically located throughout the facility, are connected to said central computer to provide data for said facility management including the heating ventilating and air conditioning (HVAC) system performance, personnel ingress and egress, personnel occupancy in various areas of said facility, mechanical equipment operation and efficiency, sales, productivity, facility security, and existence of emergency situations such as fire, loss of environmental control, environmental hazards, and interruption of electric power or water service.

13 14. The system of claim 1 wherein said at least

three said interface gateways are included in said dashboard to be used for said facility management, and include said selection indicia for screens for a demand side center, a supply side center, and systems operation center.

- 14/ 15. The system of claim 1 wherein said central computer has sufficient software adapted to receive data from said master utility meter, said operational efficiency sensors, and said utility cost and availability data, and to analyze said sensor data and said utility cost and availability data to provide information for said facility management to improve productivity and reduce operating costs including managing personnel placement and quantity in said facility

and controlling personnel productivity.

16. The system of claim 1 wherein said central computer has sufficient software adapted to receive data from said master utility meter, said operational efficiency sensors, and said utility cost and availability data, and to analyze said sensor data and said utility cost and availability data to provide information for said facility management to improve productivity and reduce operating costs including:

(a) tracking real time power usage and load factor and managing said facility power usage to reallocate power usage to less costly off peak times of day, and receiving electric power cost data from external sources allowing purchase of

electric power at lowest cost:

(b) obtaining data for deriving lowest fuel cost based on demand and supply;

(c) regulating water usage by said facility to avoid excess usage;

(d) regulating said HVAC usage and monitoring the condition of said HVAC system to permit adequate maintenance and repair;

(f) monitoring and regulating indoor atmosphere and reacting to unhealthy atmospheric conditions;

(g) monitoring the security of said facility;

(h) operating emergency control systems.

114 17. The system of claim 1 wherein said software

further includes a plurality of multi-site consolidation screens and supporting software to enable a user to coordinate utility information and facility management for multiple locations in real time.

17 18. A multi-utility energy control and facility management system for monitoring consumption of a plurality of different utility types with a single master meter and for monitoring and controlling individual utility systems within a facility, which comprises:

(a) at least one central control computer being connected to a multi-utility master meter device, said at least one central control

computer having sufficient software adapted to

15

thereto, said at least one dashboard screen including one which provides a plurality of utility type icons for selection of a utility from said icons, and at least two interface gateways, each being adapted for communications with at least one network for selection of utility-facilities operations related data, and said software further including a plurality of subscreens for presenting (i) said selectable utility information from said utility type icons and (ii) selectable utility-facility operations related data from said at least two interface gateways;

(b) a multi-utility real time master meter for monitoring consumption of a plurality of different utility types with a single master

meter, which includes a central processing unit, visual display means connected to the central processing unit, programming controls, a power source connection and a plurality of meter sensor connections; and,

(c) a plurality of utility meter sensors connected to said master meter, at least a portion of said utility meter sensors being integrally connected to utility meters for sensing real time rates from said utility meters, and transmitting said real time rates to said central processing unit, said plurality of utility meter sensors including utility meter sensors having means to sense real time rates from electromechanical utility meters which are attachable to outside surfaces of

18¹⁷19. The system of claim 18 wherein said dashboard screen includes icons for at least two utilities selected from the group consisting of electric, oil, gas, water and steam.

19 20. The system of claim 18¹⁷ wherein said at least two interface gateways include selection indicia for screens for at least fire and sprinkler system, power quality, electrical and lighting.

-98-

meter central processing unit includes means for receiving real time utility meter consumption rates data from said sensors, means for storing said data, means for presenting said data on display via said visual display means in accordance with a preprogrammed sequence and in preprogrammed time frames, means for converting said data to averages over longer periods of time based on preprogrammed parameters, and means for presenting both real time consumption rate data and converted data to a computer in a predetermined computer language format.

22. The system of claim ¹⁷18 wherein at least one of said sensors is wired directly to said central processing unit within said housing.

23. The system of claim ¹⁷18 wherein at least one of said sensors is wired to a signal transmission device for transmitting signals through an alternating current line to said central processing unit and said central processing unit includes a receiver for receiving said signals from said alternating current line and inputting said signals to the central processing unit.

24. The system of claim ¹⁷18 wherein at least a portion of said utility meter sensors are located within said utility meters.

25. The system of claim ¹⁷18 wherein said at least one central control computer contains software adapted to receive and update alternative utility company competitive pricing information.

27. The system of claim 18 wherein said master meter includes a main housing which is physically separate from said at least one central control computer.

28. The system of claim ¹⁷~~18~~ wherein said plurality of utility subscreens includes at least a portion of said subscreens having specific real time utility data and at least a portion of said subscreens having the same utility type icons as said dashboard screen to provide interconnection

29. The system of claim ¹⁷18 wherein a plurality of operational efficiency sensors, strategically located throughout the facility, are connected to said central computer to provide data for said facility management including said HVAC system performance, personnel ingress and egress, personnel occupancy in various areas of said facility, mechanical equipment operation and efficiency, sales, productivity, facility security, and existence of emergency situations such as fire, loss of environmental control, environmental hazards, and interruption of electric power or water service.

17
29 30. The system of claim 18 wherein said at least

three said interface gateways are included in said dashboard to be used for said facility management, and include said selection indicia for screens for a demand side center, a supply side center, and systems operation center.

30 31. The system of claim ¹18 wherein said central computer has sufficient software adapted to receive data from said master utility meter, said operational efficiency sensors, and said utility cost and availability data, and to analyze said sensor data and said utility cost and availability data to provide information for said facility management to improve productivity and reduce operating costs including managing personnel placement and quantity in said facility

and controlling personnel productivity.

31 32. The system of claim ¹⁷ 18 wherein said central computer has sufficient software adapted to receive data from said master utility meter, said operational efficiency sensors, and said utility cost and availability data, and to analyze said sensor data and said utility cost and availability data to provide information for said facility management to improve productivity and reduce operating costs including:

(a) tracking real time power usage and load factor and managing said facility power usage to reallocate power usage to less costly off peak times of day, and receiving electric power cost data from external sources allowing purchase of

electric power at lowest cost:

(b) obtaining data for deriving lowest fuel cost based on demand and supply;

(c) regulating water usage by said facility to avoid excess usage;

(d) regulating said HVAC usage and monitoring the condition of said HVAC system to permit adequate maintenance and repair;

(f) monitoring and regulating indoor atmosphere and reacting to unhealthy atmospheric conditions;

(g) monitoring the security of said facility;

(h) operating emergency control systems.

37 33. The system of claim 18 wherein said software

further includes a plurality of multi-site consolidation screens and supporting software to enable a user to coordinate utility information for multiple locations in real time as well as aggregate load demand for regions.

33 34. In a system for multi-utility energy control for monitoring consumption, and cost of resource regeneration, for a plurality of different utility types with a single master meter, and for monitoring and controlling individual utility systems within a facility, which system includes a central control computer and sensing meters, said system having software to receive utility consumption rate data and to store, present and analyze report and adjust and control utility

consumption, said software including a main screen and subscreens, which comprise:

(a) a dashboard screen having a plurality of utility type icons for selection of a utility from said icons and at least two interface gateways for selection of utility-facility operations related data; and,

(b) a plurality of subscreens for presenting (i) said selectable utility information from said utility type icons and (ii) selectable utility related data from said interface gateway.

30 35. The system of claim ³³34 wherein said dashboard screen includes icons for at least two utilities selected from the group consisting of

electric, oil, gas, water and steam.

3^s 36. The system of claim ³³34 wherein said at least
two interface gateways include selection indicia
for screens for modules for at least fire and
sprinkler system, power quality, electrical and

1138. The system of claim 34 wherein said
software further includes a plurality of multi-
site consolidation screens and supporting
software to enable a user to consolidate and
coordinate utility information for multiple
10 locations in real time as well as aggregate load
demand for regions. ghting.

34 37. The system of claim ³³34 wherein said at least
two interface gateways include selection indicia
for a screen for a supply side management center,

31 ~~38~~. The system of claim ³³~~34~~ wherein a plurality of operational efficiency sensors, strategically located throughout the facility, are connected to said central computer to provide data for said facility management including said HVAC system performance, personnel ingress and egress, personnel occupancy in various areas of said facility, mechanical equipment operation and efficiency, sales, productivity, facility security, and existence of emergency situations such as fire, loss of environmental control, environmental hazards, and interruption of electric power or water service.

38 39. The system of claim ³³~~34~~ wherein said at least

three said interface gateways are included in said dashboard to be used for said facility management, and include said selection indicia for screens for a demand side center, a supply side center, and systems operation center.

39 40. The system of claim ³³ 34 wherein said central computer has sufficient software adapted to receive data from said master utility meter, said operational efficiency sensors, and said utility cost and availability data, and to analyze said sensor data and said utility cost and availability data to provide information for said facility management to improve productivity and reduce operating costs including managing personnel placement and quantity in said facility

41. The system of claim ³³34 wherein said central computer has sufficient software adapted to receive data from said master utility meter, said operational efficiency sensors, and said utility cost and availability data, and to analyze said sensor data and said utility cost and availability data to provide information for said facility management to improve productivity and reduce operating costs including:

-111-

electric power at lowest cost:

(b) obtaining data for deriving lowest fuel cost based on demand and supply;

(c) regulating water usage by said facility to avoid excess usage;

(d) regulating said HVAC usage and monitoring the condition of said HVAC system to permit adequate maintenance and repair;

(f) monitotring and regulating indoor atmosphere and reacting to unhealthy atmospheric conditions;

(g) monitoring the security of said facility;

(h) operating emergency control systems.

42. The system of claim³³~~34~~ wherein said software

-113-